

Safety Data Sheet

Aniline

Revision date : 2025/10/06
Version: 8.0

Page: 1/15
(30036728/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Aniline

Recommended use of the chemical and restriction on use

Recommended use*: Chemical used in synthesis and/or formulation of industrial products
Recommended use*: dyes; pesticides; industrial chemicals; catalyst
Suitable for use in industrial sector: chemical industry; Polymers industry
Unsuitable for use: Uses other than recommended

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Molecular formula:	C(6)H(5)NH(2)
Chemical family:	amine
Synonyms:	ANILINE AMINO BENZENE, PHENYLAMINE

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Flam. Liq.

4

Flammable liquids

Safety Data Sheet

Aniline

Revision date: 2025/10/06

Version: 8.0

Page: 2/15

(30036728/SDS_GEN_US/EN)

Acute Tox.	3 (Inhalation - vapour)	Acute toxicity
Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	3 (dermal)	Acute toxicity
Eye Dam.	1	Serious eye damage
Skin Sens.	1B	Skin sensitization
Muta.	2	Germ cell mutagenicity
Carc.	2	Carcinogenicity
STOT RE	1	Specific target organ toxicity — repeated exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H227	Combustible liquid.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H372	Causes damage to organs (Blood) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P260	Do not breathe mist or vapour.
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

Safety Data Sheet

Aniline

Revision date: 2025/10/06

Version: 8.0

Page: 3/15

(30036728/SDS_GEN_US/EN)

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical attention.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P361 + P364	Take off immediately all contaminated clothing and wash it before reuse.
P330	Rinse mouth.
P391	Collect spillage.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P405 Store locked up.

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501 Dispose of contents and container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Aniline

CAS Number: 62-53-3

Content (W/W): >= 100.0%

Synonym: Aminobenzene; Aniline, Benzenamine

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 4/15
(30036728/SDS_GEN_US/EN)

Remove contact lenses, if present.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

corneal injury, Skin contact may provoke the following symptoms:, allergic symptoms, Overexposure may cause:, cyanosis, methaemoglobinaemia, asphyxia

Information on: Aniline

Symptoms: Overexposure may cause:, cyanosis, methaemoglobinaemia, asphyxia

Hazards: Symptoms can appear later.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treatment: Symptomatic treatment (decontamination, vital functions), for the regression of methemoglobinemia: Methylthioninium chloride or tolonium chloride. After inhalation of decomposition products: pulmonary edema prophylaxis. Medical monitoring for at least 24 hours.
------------	--

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, nitrous gases

The substances/groups of substances mentioned can be released in case of fire.

Vapors/fumes may contain traces of combustible substances.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 5/15
(30036728/SDS_GEN_US/EN)

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. If exposed to fire, keep containers cool by spraying with water. Suppress gases/vapours/mists with water spray jet.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required. Avoid contact with the skin, eyes and clothing. If exposed to high vapour concentration, leave area immediately.

Environmental precautions

Do not empty into drains. Do not discharge into the subsoil/soil.

Substance/product is RCRA hazardous due to its properties.

Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas.

Ground and/or bond all equipment to prevent electrostatic charges. Avoid all sources of ignition: heat, sparks, open flame.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Vapours may form explosive mixture with air. Vapours are heavier than air.

Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Segregate from foods and animal feeds. Segregate from combustible materials.

Suitable materials for containers: Carbon steel (Iron), tinned carbon steel (Tinplate), glass, Galvanized carbon steel (Zinc), Stainless steel 1.4301 (V2), Stainless steel 1.4401

Unsuitable materials for containers: Low density polyethylene (LDPE), Paper/Fibreboard, High density polyethylene (HDPE)

Further information on storage conditions: No special precautions necessary.

From this information no suitability of the materials mentioned above for the design of installations, including containers for permanent storage, can be inferred. Special conditions apply to the selection of materials in this regard, which we can communicate on request.

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 6/15
(30036728/SDS_GEN_US/EN)

Storage stability:
Storage duration: 24 Months
The product discolours during the storage.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Aniline	ACGIH, US:	TWA value 2 ppm ;
	OSHA Z1:	Skin Designation ; The substance can be absorbed through the skin.
	OSHA Z1:	PEL 5 ppm 19 mg/m3 ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	NIO ID, US:	IDLH 100 ppm ; IDLH values based on the 1994 Revised Criteria
	NIO ID, US:	LEL 1.3 % ;

Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, butyl rubber (butyl) - 0.7 mm coating thickness, Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1);, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

chemical-resistant apron and boots, Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Avoid contact with skin. Avoid contact with eyes. Avoid inhalation of vapours/mists. Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact. Handle in accordance with good industrial hygiene and safety practice. Employees should shower at the end of the shift.

9. Physical and Chemical Properties

Physical state: liquid
Form: liquid

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 7/15
(30036728/SDS_GEN_US/EN)

Odour:	strong, amine-like	
Odour threshold:	not determined	
Colour:	yellow	
pH value:	8.8 (36 g/l, 20 °C)	
Melting point:	-6 °C (1,013 hPa)	
Freezing point:	No data available.	
Boiling point:	184.1 °C (1,013 hPa) Literature data.	
Sublimation point:	No applicable information available.	
Flash point:	76 °C Literature data.	(other, closed cup)
Flammability:	Combustible liquid.	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	630 °C Literature data.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Vapour pressure:	0.4 hPa (20 °C)	
Density:	1.02 g/cm ³ (20 °C) Literature data.	
Relative density:	1.02 (20 °C) Literature data.	
Relative vapour density:	3.21 (20 °C) Heavier than air.	(calculated)
Partitioning coefficient n-octanol/water (log Pow):	0.91 (25 °C)	(Directive 84/449/EEC, A.8)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	4.35 mPa.s (20 °C) Literature data.	
Viscosity, kinematic:	not determined	
Solubility in water:	35 g/l (20 °C) Literature data.	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Molecular weight:	93.13 g/mol	

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 8/15
(30036728/SDS_GEN_US/EN)

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor pressure.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.
No applicable information available.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
No corrosive effect on metal.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Reactions with water/air: Reaction with: water

Flammable gases: no
Toxic gases: no

Formation of flammable gases: Remarks: Forms no flammable gases in the presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

Strong exothermic reaction with acids.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid direct sunlight.

Incompatible materials

isocyanates, alkali or alkaline-earth metal, oxidizing agents, nitro-compounds, acids

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: carbon monoxide, carbon dioxide, nitrogen oxides

Thermal decomposition:
No decomposition if stored and handled as prescribed/indicated.

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 9/15
(30036728/SDS_GEN_US/EN)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of pronounced toxicity after short-term inhalation. Of pronounced toxicity after short-term skin contact. Of high toxicity after single ingestion. There is a risk of damage to the blood (methemoglobinemia) after a single uptake.

Oral

Type of value: LD50

Species: cat

Value: approx. 102 mg/kg (BASF-Test)

There is a risk of damage to the blood (methemoglobinemia) after a single uptake.

Inhalation

Type of value: LC50

Species: rat

Value: 3.27 mg/l (OECD Guideline 403)

Exposure time: 4 h

The vapour was tested.

Dermal

Type of value: LD50

Species: cat

Value: 254 mg/kg

Assessment other acute effects

Assessment of STOT single:

Apart from effects causing lethality, no specific target organ toxicity was observed in experimental studies.

Irritation / corrosion

Assessment of irritating effects: May cause severe damage to the eyes. Not irritating to the skin.

Skin

Species: rabbit

Result: non-irritant

Method: BASF-Test

Eye

Species: rabbit

Result: irreversible damage

Method: BASF-Test

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Human Maximization Test

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 10/15
(30036728/SDS_GEN_US/EN)

Species: human
Result: skin sensitizing
Method: other

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated inhalation exposure to small quantities may affect certain organs.

Repeated dermal exposure to small quantities may affect certain organs. Repeated oral exposure to small quantities may affect certain organs. After repeated administration the prominent effect is damage of the blood (methemoglobin formation).

Genetic toxicity

Assessment of mutagenicity: Mutagenic properties can not be excluded on the basis of experimental data. The substance was mutagenic in a mammalian cell culture test system. The substance was mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: In animal studies the substance did not cause malformations.

Other Information

Skin resorption hazard.

Medical conditions aggravated by overexposure

Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product. See SDS section 11 - Toxicological information.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) 10.6 mg/l, *Oncorhynchus mykiss* (Fish test acute, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration. Literature data.

Aquatic invertebrates

Safety Data Sheet

Aniline

Revision date: 2025/10/06

Version: 8.0

Page: 11/15

(30036728/SDS_GEN_US/EN)

EC50 (48 h) 0.16 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. Literature data.

Aquatic plants

EC50 (72 h) 175 mg/l (growth rate), *Chlorella pyrenoidosa* (OECD Guideline 201)

Nominal concentration. Literature data.

Chronic toxicity to fish

No observed effect concentration (32 d) 0.39 mg/l, *Pimephales* sp. (other, Flow through.)

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) 0.016 mg/l, *Daphnia magna* (Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Assessment of terrestrial toxicity

Toxic effects have been observed in studies with soil living organisms.

Soil living organisms

Toxicity to soil dwelling organisms:

No observed effect concentration (28 d) 46,5 mg/kg dw sediment, *Lumbriculus variegatus* (other, other)

Toxicity to terrestrial plants

No observed effect concentration (14 d) 0,0003 mg/l, *Brassica campestris* var. *chinensis* (OECD Guideline 208)

EC50 (14 d) 33 mg/kg soil dw, *Lactuca sativa* (other)

Literature data.

Other terrestrial non-mammals

LD50 (18 h) 562 mg/kg, *Agelaius phoeniceus* (other)

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 activated sludge, industrial/EC20 (0.5 h): 2,800 mg/l

Nominal concentration.

Inhibition of nitrification Bacteria/EC50 (2 h): < 1 mg/l

Nominal concentration.

ISO DIS 9509 activated sludge, industrial/EC50 (2 h): 7 mg/l

Nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

Elimination information

90 % (26 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (activated sludge, domestic)

Literature data.

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 12/15
(30036728/SDS_GEN_US/EN)

Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulative potential

Assessment bioaccumulation potential

Does not significantly accumulate in organisms.

Bioaccumulation potential

Bioconcentration factor: 2.6, Brachydanio rerio (measured)
Literature data.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is not expected.

Additional information

Sum parameter

Chemical oxygen demand (COD): 2,510 mg/g

Adsorbable organically-bound halogen(AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:

Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants.

13. Disposal considerations

Waste disposal of substance:

Incinerate in suitable incineration plant, observing local authority regulations. The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different waste-code assignments.

Incinerate or dispose of in a RCRA-licensed facility. Dispose of in a RCRA-licensed facility. Do not discharge into waterways or sewer systems without proper authorization.

Container disposal:

WARNING: Empty containers may still contain hazardous residue. Flammable vapors may exist in containers in which residues of this product remain. Dispose of in accordance with national, state and local regulations.

Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Do not reuse empty containers.

RCRA: U012

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 13/15
(30036728/SDS_GEN_US/EN)

14. Transport Information

Land transport

USDOT

Hazard class: 6.1
Packing group: II
ID number: UN 1547
Hazard label: 6.1, EHSM
Proper shipping name: ANILINE

Sea transport

IMDG

Hazard class: 6.1
Packing group: II
ID number: UN 1547
Hazard label: 6.1, EHSM
Marine pollutant: YES
Proper shipping name: ANILINE

Air transport

IATA/ICAO

Hazard class: 6.1
Packing group: II
ID number: UN 1547
Hazard label: 6.1
Proper shipping name: ANILINE

Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this SDS for the RQ for this product.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US

All substances are TSCA listed and active.

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

<u>CAS Number</u>	Chemical name
62-53-3	Aniline

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	62-53-3	Aniline
Reportable Quantity for release:		5,000 lb

Safety Data Sheet

Aniline

Revision date: 2025/10/06

Version: 8.0

Page: 14/15

(30036728/SDS_GEN_US/EN)

State regulations

State RTK

PA

NJ

CAS Number

62-53-3

62-53-3

Chemical name

Aniline

Aniline

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ANILINE, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 3

Fire: 2

Reactivity: 0

Special:

HMIS III rating

Health: 3

Flammability: 2

Physical hazard: 0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/10/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/06

Version: 8.0

Date / Previous version: 2024/02/01

Previous version: 7.0

Safety Data Sheet

Aniline

Revision date: 2025/10/06
Version: 8.0

Page: 15/15
(30036728/SDS_GEN_US/EN)

END OF DATA SHEET