

Intermediates



BASF's high quality intermediates for the rubber industry



Contact us

BASF East Asia Regional Headquarters Limited
Intermediates Division
45/F Jardine House
1 Connaught Place
Central, Hong Kong
E-mail: info.intermediates@basf.com

For more details, please visit us:
www.intermediates.basf.com/chemicals/rubber/index

Disclaimer

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, the data does not relieve processors from carrying out their own investigations and tests; neither does the data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. The safety data given in this publication is for information purposes only and does not constitute a legally binding Material Safety Data Sheet (MSDS). The relevant MSDS can be obtained upon request from your supplier or you may contact BASF directly at info.intermediates@basf.com. 2016 edition.


We create chemistry

BASF – We create chemistry

At BASF, we create chemistry for a sustainable future. We combine economic success with environmental protection and social responsibility. The employees in the BASF Group work on contributing to the success of our customers in nearly all sectors and almost every country in the world. Our portfolio is organized into five segments: Chemicals, Performance Products, Functional Materials & Solutions, Agricultural Solutions and Oil & Gas.

BASF Intermediates

The BASF Group's Intermediates division develops, produces and markets a comprehensive portfolio of about 700 intermediates around the world. Its most important product groups include amines, diols, polyalcohols, acids and specialties. Intermediates are for example used as starting materials for coatings, plastics, pharmaceuticals, textiles, detergents and crop protectants. Innovative intermediates from BASF help to improve both the properties of final products and the efficiency of production processes. The ISO 9001 certified Intermediates division operates plants at production sites in Europe, Asia and North America.

BASF's portfolio for the rubber industry

BASF supplies a range of intermediates for the rubber and tire industries. Its commitment to chemistry makes BASF a reliable partner to the tire and rubber industries.



Koresin® - The tackifier for rubber industry with over 70 years of product expertise

Outstanding Advantages

Koresin is the tackifiers' industry benchmark offering superior performance such as:

- High initial and long-term tackiness of rubber compounds
- Compatible with all current rubber formulations
- Processing flexibility
 - Degree of tackiness can be adjusted
 - Tackiness can be maintained for up to several weeks when needed
- Koresin has no negative influence on the
 - Vulcanization kinetics
 - Properties of the vulcanized rubber
- Proven effectiveness also in formulations with high loading of silica filler

Koresin Applications

Koresin is successfully applied in the manufacturing of

- Quality and premium tires of all kind
 - For cars, trucks and special vehicles
 - For OEM, replacement and re-treading
 - In light, medium, heavy and speed use operations
 - In earth and air transport rubber compounds
- Other industrial and technical rubber goods, such as
 - Conveyor belts
 - Power transmission belts
 - Hoses
 - Cable / roll coverings
 - Lining materials



Koresin Specifications and Properties

Specifications

Test criteria	Specification	Test method
Ubbelohde dropping point	140 – 160°C	DIN 51801
Ring and ball softening point	135 – 150°C	DIN 52011
Solubility in hydrocarbons	Soluble	BASF method

Properties

Physical form	Yellow to brown pellets
Odor	Almost odorless
Softening point (ball and ring / DIN 52011)	135 – 150°C
Dropping point (Ubbelohde / DIN 51801)	140 – 160°C
Density (20°C)	1.02 – 1.04 g/cm ³
Solubility	Soluble in hydrocarbons

tert.-Butylamine (tBA)

Competitive Advantages

- Unique and advanced technology to ensure high and constant quality
- With this unique technology BASF circumvents the environmental disadvantages of alternative processes
- BASF is the only global producer of tBA with plants in Belgium, China and the U.S.
- Local production plant in Nanjing, China to quickly serve Asian customers



tert.-Butylamine Applications

tert.-Butylamine is mainly used in the following industries:

- Rubber chemicals
- Agrochemicals
- Pharmaceuticals

BASF Specifications

Formula	$C_4H_{11}N$
Molecular weight	73.1
Freezing point	-67°C
Boiling point	44°C
Assay	99.5% min. (GC)
Water	0.1% max.
Color	25 APHA
Suspended matter	None

Morpholine

Prolonged Advantages

- Global presence with well-established sales network in Asia
- Advantages in logistics and availability from Ludwigshafen Germany
- Partner for customers worldwide
- Variety package availability: 200-kg bag or 20-mt ISO-bulk

Morpholine Applications

Morpholine is applied in:

- Ultraviolet (UV) curing
- Optical brighteners
- Rubber vulcanization accelerators
- Pharmaceuticals and agrochemicals
- Water treatment
- Corrosion inhibition and many more

Morpholine Specifications

Formula	C_4H_9NO
Molecular weight	87.1
Freezing point	-4.9°C
Boiling point	129°C
Assay	99.0% min. (GC)
Water	0.05% max. (DIN51777)
Color	15 APHA max. (DIN EN 1557)



Alkali Metals and Specialty Alcoholates

Alkali Metals and Specialty Alcoholates Characteristics

- Chemical reagents
- Strong bases
- Enable selective chemistries
- Selectivity is required in higher value transformations

Applications

The Alkali Metals and Specialty Alcoholates serve multiple market segment:

- Styrene butadiene rubbers – used to modify anionic polymerization chemistry in sSBR production
- Pharmaceuticals
- Agrochemicals
- Electronics
- Oil and Gas
- CASE
- Foundry materials

Available Product Portfolio

Potassium tert-butoxide (Powder and THF solution)
Potassium tert-amylate (Toluene and cyclohexane solution)
Potassium iso-propylate (Solution in isopropanol)
Potassium 3,7-dimethyl-3-octylate (Solution in heptane)
Potassium ethylate (Solution in ethanol)
Sodium tert-butoxide (Powder and THF solution)
Sodium tert-amylate (THF solution)
Sodium mentholate (Solution in hexane)

Our Global Expertise in Amines

With about 300 different amines, BASF has the world's most diverse portfolio of this type of chemical intermediates. Along with alkyl-, alkanol- and alkoxyalkyl- amines, the company offers heterocyclic and aromatic as well as specialty amines. The range is completed by an expanding portfolio of chiral amines of high optical and chemical purity. The versatile products are used mainly to manufacture process chemicals, pharmaceuticals and crop protection products, as well as cosmetic products and detergents. They also serve to produce coatings, special plastics, composites and special fibers.

BASF is value-added partner for the rubber industry and, in particular, has the broadest amines portfolio for rubber processing chemicals and the tire industry.

Accelerators

tert.-Butylamines (tBA)
Cyclohexylamine (CHA)
Dicyclohexylamine (DCHA)
Aniline
Dibutylamine
Diethylamine
Dimethylamine (DMA)
Ethylenediamine (EDA)
Piperidine
Morpholine

Antidegradants

Aniline
Mononitrobenzene (MNB)

Tackifier

Koresin®

